

ANALYTICA CHIMICA ACTA

An international journal devoted to all branches of analytical chemistry



(Full texts are incorporated in CJESEVIER, a file in the Chemical Journals Online database available on STN International; Abstracted, indexed in: Aluminium Abstracts; Anal. Abstr.; Biol. Abstr.; BIOSIS; Chem. Abstr.; Curr. Contents Phys. Chem. Earth Sci.; Engineered Materials Abstracts; Excerpta Medica; Index Med.; Life Sci.; Mass Spectrum. Bull.; Material Business Alerts; Metals Abstracts; Sci. Citation Index)

VOL. 351 NO. 1-3

CONTENTS

SEPTEMBER 30, 1997

Reviews

- Solid-matrix luminescence analysis: photophysics, physicochemical interactions and applications
R.J. Hurtubise (Laramie, WY, USA) 1
- Miniaturisation: a well-defined trend in separation and preconcentration techniques
M.D. Luque de Castro and L. Gámiz-Gracia (Córdoba, Spain) 23

Separation Techniques

- Simultaneous determination of iron(II) and iron(III) in water by capillary electrophoresis
S. Pozdniakova, A. Padarauskas (Vilnius, Lithuania) and G. Schwedt (Clausthal-Zellerfeld, Germany) 41
- Determination of puerarin, daidzein, paeoniflorin, cinnamic acid, glycyrrhizin, ephedrine, and [6]-gingerol in Ge-gen-tang by micellar electrokinetic chromatography
H.-Y. Huang and Y.-Z. Hsieh (Hsinchu, Taiwan, ROC) 49
- A chelating resin containing 4-(2-thiazolylazo)resorcinol as the functional group. Chromatographic application to the preconcentration and separation of some trace metal ions including uranium
C.H. Lee, M.Y. Suh, K.S. Joe, T.Y. Eom (Taejon, South Korea) and W. Lee (Seoul, South Korea) 57

Electroanalytical Chemistry

- Determination of salmon calcitonin by square wave adsorptive stripping voltammetry
J.G. Osteryoung and K.J. Wikel (Raleigh, NC, USA) 65
- Simulation and fitting of anodic stripping voltammetry data for determination of the metal complexing capacity
I. Pižeta and M. Branica (Zagreb, Croatia) 73
- Rapid and simultaneous analysis of trace metals (Cu, Pb and Cd) in seawater by potentiometric stripping analysis
R.D. Riso, P. Le Corre (Brest, France) and C.J. Chaumery (Brest, France) 83
- Potentiometric determination of salicylhydroxamic acid (urinary struvite stone inhibitor) based on the inhibition of urease activity
S.S.M. Hassan (Cairo, Egypt), R.M. El-Bahnasawy and N.M. Rizk (Menoufia, Egypt) 91
- Voltammetric behaviour of the antimycotic terbinafine at the hanging mercury drop electrode
A. Arranz, S. Fdz. de Betoño, J.M. Moreda, A. Cid and J.F. Arranz (Vitoria, Spain) 97
- Differential pulse polarographic determination of ceftazidime in urine samples with and without prior extraction
V.S. Ferreira, M.V.B. Zanoni, M. Furlan (Araraquara, Brazil) and A.G. Fogg (Loughborough, UK) 105
- Determination of sulfide by square-wave polarography
J.S. Redinha, C. Paliteiro and J.L.C. Pereira (Coimbra, Portugal) 115
- Continuous measurement of lactate in microdialysate
D. Pfeiffer (Berlin, Germany), L. Yang (West Lafayette, IN, USA), F.W. Scheller (Berlin, Germany) and P.T. Kissinger (West Lafayette, IN, USA) 127
- Electrocatalytic oxidation of H₂O₂ at an oxycobalt film modified glassy carbon electrode for fermentation monitoring
S.B. Khoo, M.G.S. Yap, Y. Liang Huang and S. Guo (Singapore) 133

Sensors

- Screen-printed ruthenium dioxide electrodes for pH measurements
R. Koncki and M. Mascini (Florence, Italy) 143
- A highly sensitive amperometric creatinine sensor
G.F. Khan (Singapore) and W. Wernet (Takarazuka, Japan) 151
- A flow-injection (FI) mediated biosensor for on-line monitoring of lactate in mammalian cell culture
K.B. Male, P.O. Gartu, A.A. Kamen and J.H.T. Luong (Montreal, Canada) 159

(Continued overleaf)

Use of photopolymerizable membranes based on polyacrylamide hydrogels for enzymatic microsensor construction C. Jiménez, J. Bartrol (Bellaterra, Spain), N.F. de Rooij and M. Koudelka-Hep (Neuchâtel, Switzerland)	169
Response of a thickness-shear mode quartz crystal resonator upon hydrogel formation M. Yang, H.C.M. Yau and W. Zhu (Kowloon, Hong Kong)	177
Novel fluorescent sensor membranes for alcohols based on p- <i>N,N</i> -dioctylamino-4'-trifluoroacetylstilbene G.J. Mohr and U.E. Spichiger-Keller (Zurich, Switzerland)	189
Fluorescent sensor based on newly synthesized fluorescein octadecyl ether octadecyl ester (FODEE) for direct determination of phenols in aqueous solutions W.H. Chan, A.W.M. Lee, Y.S. Lam (Kowloon, Hong Kong) and K.M. Wang (Changsha, People's Republic of China)	197
<i>Luminescence Analysis</i>	
Determination of tetracyclines with a modified β -cyclodextrin based fluorosensor Z. Gong (Xian, China and Nanjing, China) and Z. Zhang (Xian, China)	205
Application of computerized compensation method to derivative synchronous spectrofluorimetry. Analysis of floctafenine and floctafenic acid in plasma S.M. Sabry (Alexandria, Egypt)	211
Photochemical-fluorimetric determination of folic acid in a multicommutated flow system R.A.S. Lapa, J.L.F.C. Lima (Porto, Portugal), B.F. Reis (Piracicaba, Brazil), J.L.M. Santos (Porto, Portugal) and E.A.G. Zagatto (Piracicaba, Brazil)	223
Phosphorescence imaging system using an acousto-optic filter-based charge coupled device A.D. Campiglia, F. Moreau, D.M. Hueber and T. Vo-Dinh (Oak Ridge, TN, USA)	229
The determination of chlorogenic acid in cigarettes by inhibited chemiluminescence analysis C. He, H. Cui and G. Zhao (Hefei, China)	241
<i>Spectrophotometry</i>	
Microplate photometric determination of aldehydes in disinfectant solutions G. Zurek and U. Karst (Münster, Germany)	247
Formation of a stable adduct between 1,2-benzoquinone and dimethylamine and its application to the spectrophotometric determination of 1,2-benzoquinone S. Uchiyama, Y. Hasebe, T. Ishikawa and J. Nishimoto (Saitama, Japan)	259
<i>Flow Injection Analysis</i>	
Elimination of the Schlieren effect in the determination of reactive phosphorus in estuarine waters by flow-injection analysis I.D. McKelvie (Caulfield East, Australia), D.M.W. Peat, G.P. Matthews and P.J. Worsfold (Plymouth, UK)	265
Total nitrogen determination by flow injection using on-line microwave-assisted digestion A. Cerdà, M.T. Oms, R. Forteza and V. Cerdà (Palma de Mallorca, Spain)	273
Flow injection spectrophotometric determination of total carbonyls in hydrocarbons by reaction with vanillin J.F. van Staden and H.E. Britz (Pretoria, South Africa)	281
Automated flow injection spectrophotometric non-aqueous titrimetric determination of the free fatty acid content of olive oil P.G. Nourou, C.A. Georgiou and M.G. Polissiou (Athens, Greece)	291
<i>Environmental Analysis</i>	
Assessment of heat treatment for nutrient preservation in seawater samples A. Aminot and R. Kérouel (Plouzané, France)	299
Behaviour of matrix cations (Ca^{2+} , K^{+} , Mg^{2+} and Na^{+}) during on-line preconcentration and atomic spectrometric detection of trace metals in natural waters R.A. Nickson, S.J. Hill and P.J. Worsfold (Plymouth, UK)	311
Determination of selenium content in natural water by graphite furnace atomic absorption spectrometry after preconcentration with molybdate-form anion exchange resin T. Kubota and T. Okutani (Chiba, Japan)	319
Simultaneous determination of neodymium and samarium in silicate rocks and minerals by isotope dilution inductively coupled plasma mass spectrometry: Results on twenty geochemical reference samples M. D'Orazio and S. Tonarini (Pisa, Italy)	325
<i>Chemometrics</i>	
On the number of observable species, observable reactions and observable fluxes in chemometric studies and the role of multichannel integration M. Garland, E. Visser, P. Terwiesch and D.W.T. Rippin (Zürich, Switzerland)	337
A knowledge-controlled method for sequential wavelength-dispersive X-ray spectrometry: a feasibility study A.D. Dane, F.E.D.O.R. Janssen (Nijmegen, Netherlands), H.A. van Sprang, M. Bekkers (Eindhoven, Netherlands) and L.M.C. Buydens (Nijmegen, Netherlands)	359
Combined experimental design and information theory for the optimization of supercritical fluid extraction of organic priority pollutants from sediment J. Dachs, I. Fernández and J.M. Bayona (Barcelona, Spain)	377
The development of the significant peak selection method using the mutual information and its completeness T. Fujikura, K. Sakamoto and J.T. Shimozaawa (Saitama, Japan)	387
Solvent effects on protonation equilibria of peptides and quinolones by factor analysis applied to the correlation between dissociation constants and solvatochromic parameters in acetonitrile-water mixtures J. Barbosa, G. Fonrodona, I. Marqués, V. Sanz-Nebot and I. Toro (Barcelona, Spain)	397

<i>Erratum</i>	407
<i>Author Index</i>	409
<i>The quantity pH: call for experts</i>	
<i>News</i>	

